

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3042	((color same (gamut or profile or map\$5 (range))) same (network\$5 or lan or wan or internet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:19
S67	2	S65 and (boundary) same (absolute near3 colorim\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:20
S66	0	S65 and (map\$5 near4 boundary) same (absolute near3 colorim\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:21
S68	7	S65 and (map\$5 near4 (surface or boundary)) and (absolute near3 colorim\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:22
S69	5	S65 and (map\$5 near4 (surface or boundary)) and (map\$5 near4 (inside or within or in) near4 (gamut or range or boundary or surface)) and (absolute near3 colorim\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:23
S71	40	S65 and (map\$5 near4 (surface or boundary)) and (map\$5 near4 (inside or within or in) near4 (gamut or range or boundary or surface)) and ((preserv\$5 or unchang\$5 or keep\$5 or ignor\$5 or avoid\$5) near4 (within or "in" or inside))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:33
S72	11	S65 and (map\$5 near4 (surface or boundary)) and (map\$5 near4 (inside or within or in) near4 (gamut or range or boundary or surface)) and ((preserv\$5 or unchang\$5 or keep\$5 or ignor\$5 or avoid\$5) near4 (within or "in" or inside)) and ((select\$5 or choos\$5) near3 map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:38
S73	21	S65 and (map\$5 near4 (edge or surface or boundary)) and (map\$5 near4 (inside or within or in) near4 (gamut or range or boundary or surface)) and (absolut\$5) and (perceptual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:43
S74	3	S65 and (map\$5 near4 (edge or surface or boundary)) and (map\$5 near4 (inside or within or in) near4 (gamut or range or boundary or surface)) and (absolut\$5 with intent) and (perceptual with intent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:44
S75	5	S65 and (map\$5 near4 (edge or surface or boundary)) and (absolut\$5 with intent) and (perceptual with intent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:45
S77	5	S65 and (map\$5 near4 (edge or surface or boundary)) and (absolut\$5 with (render\$5 or map\$5 or intent)) and (perceptual\$5 with (render\$5 or map\$5 or intent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:46
S76	2	S65 and (map\$5 near4 (edge or surface or boundary)) and (absolut\$5 with map\$5) and (perceptual\$5 with map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:46
S70	145	S65 and (map\$5 near4 (surface or boundary)) and (map\$5 near4 (inside or within or in) near4 (gamut or range or boundary or surface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 10:47

EAST Search History

S78	12	S65 and ((select\$5 or choos\$5 or designat\$5 or optimum or determin\$5) near6 (map\$5 near4 (edge or surface or boundary))) and ((select\$5 or choos\$5 or designat\$5 or optimum or determin\$5) near6 (map\$5 near4 (inside or within or in) near4 (gamut or range or edge or surface or boundary)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:01
S79	140	(select\$5 or choos\$5 or designat\$5) near6 ((gamut) near3 map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:06
S80	2	S79 and (color near4 (out or outside or beyond or exceed\$5) with (map\$5 near2 (boundary or surface))) and (color near4 ("in" or inside or within or reproducible or below or less or lower) with (unmap\$5 or unchang\$5 or preserv\$5 or keep\$5 or maintain\$5 or left))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:15
S81	4	S79 and (color near4 (out or outside or beyond or exceed\$5) same (map\$5 near2 (boundary or surface))) and (color near4 ("in" or inside or within or reproducible or below or less or lower) same (unmap\$5 or unchang\$5 or preserv\$5 or keep\$5 or maintain\$5 or left))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:18
S83	2	S82 and (color near4 (out or outside or beyond or exceed\$5) same (map\$5 near5 (boundary or surface) with ("in" or inside or within)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:19
S82	31	S79 and (gamut near3 clip\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:23
S84	8	S79 and ((gamut near3 clip\$5) same (boundary or surface or edge)) and ((within or "in" or inside or into) near4 (boundary or surface or edge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:27
S85	18	S79 and ((gamut near3 (compres\$5 or clip\$5)) same (boundary or surface or edge)) and ((within or "in" or inside or into) near4 (boundary or surface or edge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:30
S86	8	S79 and ((gamut near3 (compres\$5 or clip\$5)) same (map\$5 with (boundary or surface or edge))) and (map\$5 with (within or "in" or inside or into) near4 (boundary or surface or edge))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:37
S87	30	S79 and ((out or outside or exceed\$5 or unreproducib\$5 or unprint\$5 or external\$5) with (compres\$5 or clip\$5 or map\$5) with (boundary or surface or edge)) and ((out or outside or exceed\$5 or unreproducib\$5 or unprint\$5 or external\$5) with (compres\$5 or clip\$5 or map\$5) with ((within or "in" or inside or into or internal\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:45
S65	1346	(gamut) near3 map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 11:58
S88	12	(gamut) near3 map\$5 and lin.in. and (out-of-gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:03
S89	1	"6421142".pn. and (map\$5 near5 (inside or within))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:16

EAST Search History

S90	1	"6421142".pn. and (map\$5 near5 (in-gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:18
S92	2	pop.in. and gamut	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:26
S91	1	"6421142".pn. and (map\$5 near5 (in-gamut)) and (map\$5 with (inside or within or internal\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:30
S94	2	"5,185,661".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:31
S93	1	"6421142".pn. and (map\$5 near5 (in-gamut)) same (map\$5 near5 out-of-gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 12:31
S95	40	("5185661" "5239370" "5299291" "5339176" "5450216" "5452112" "5481380" "5483360" "5489998" "5491568" "5510910" "5539540" "5543940" "5552904" "5561459" "5581376" "5583666" "5594557" "5610732" "5611030" "5649072" "5650942" "5692071" "5699491" "5704026" "5712925" "5721572" "5740076" "5754184" "5883632" "5991511" "6005968" "6053609" "6160644" "6181445" "6185004" "6204939" "6205246" "6225974" "6313925"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/18 12:33
S96	5	S95 and (map\$5 same perceptual\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:03
S99	5	lin.in. and (map\$5 with (in adj2 gamut)) and (map\$5 with (out adj2 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:05
S98	5	lin.in. and (gamut) and (map\$5 with (in adj2 gamut)) and (map\$5 with (out adj2 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:05
S97	0	lin.in. and (gamut) and (map\$5 with (in adj2 gamut)) same (map\$5 with (out adj2 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:05
S10 0	5	lin.in. and (gamut) and (map\$5 with (("in" or inside) near2 gamut)) same (map\$5 with (out adj2 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:06
S10 1	5	lin.in. and (map\$5 with (("in" or inside) near2 gamut)) same (map\$5 with (out adj2 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:07

EAST Search History

S10 3	6	(gamut with map\$5) and (perceptual\$5 with map\$5) same preserv\$5 same intent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:08
S10 2	23	(gamut with map\$5) and (perceptual\$5 with map\$5) same preserv\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:08
S10 4	11	(gamut with map\$5) and (perceptual\$5 with map\$5) same preserv\$5 and intent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:13
S10 5	0	(gamut with map\$5) and (perceptual\$5 with intent) and (absolut with intent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:14
S10 8	1	"7161710".pn. and (accura\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:29
S11 3	0	"835163".ap. and (accura\$5 same separat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:30
S11 2	0	"835163".ap. and (preserv\$5 same accura\$5 same separat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:30
S11 1	0	"835163".ap. and balanc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:30
S11 0	0	"835163".ap. and balanc\$5 same preserv\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:30
S10 9	0	"835163".ap. and balanc\$5 with preserv\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:30
S11 6	2	"835163".ap. and (accura\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:31
S11 5	1	"835163".ap. and (accura\$5 and separat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:31
S11 4	1	"835163".ap. and (accura\$5 and separat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:31

EAST Search History

S106	29	(gamut with map\$5) and (perceptual\$5 with intent) and (absolute with intent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:32
S119	1	"7161710".pn. and ((select\$5 or choos\$5) with (intent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:38
S118	0	"7161710".pn. and (user with (select\$5 or choos\$5) with (intent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:38
S117	8	(gamut with map\$5) and ((perceptual\$5 with intent) same (preserv\$5)) and ((absolute with intent) same preserv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:38
S120	1	"7161710".pn. and (user same (select\$5 or choos\$5) with (intent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:39
S123	0	"7161710".pn. and document with map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:55
S121	1	"7161710".pn. and (user same (select\$5 or choos\$5) same (intent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 13:55
S122	1	"7161710".pn. and document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:01
S126	0	"5668636".pn. and (map\$5 with document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:05
S128	1	"5668636".pn. and (map\$5 same color same document same select\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:06
S127	1	"5668636".pn. and (map\$5 same color same document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:06
S130	1	"7161710".pn. and (image with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:08
S124	0	"7161710".pn. and document same map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:08

EAST Search History

S12 9	1	"7161710".pn. and (document with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:16
S13 1	3	"6549654".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:21
S13 2	1	"6549654".pn. and map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:25
S13 3	2	"7161710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:26
S13 5	0	"835163".ap. and (need\$5 same map\$5 same document same render\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:27
S13 4	2	"835163".ap. and (need\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:27
S13 6	1	"835163".ap. and (need\$5 same map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:28
S13 7	1	"835163".ap. and "816"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:29
S13 8	1	"835163".ap. and custom with map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:30
S13 9	1	((determin\$5 or judg\$5 or discriminat\$5) near5 (color near3 map\$5)) same (color near3 (image or document or original)) same (render\$5) same ((gamut or range) near5 (print\$5 or output\$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:32
S14 2	5	((determin\$5 or judg\$5 or discriminat\$5 or designat\$5 or sett\$5 or select\$5 or choos\$5) near5 ((gamut or color) near3 map\$5)) same ((gamut or range) near3 (image or document or original or (source near2 color))) same (render\$5) same ((gamut or range) near5 (print\$5 or output\$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:38
S14 4	1	"6549654".pn. and (white near3 pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:39
S14 3	1	"6549654".pn. and (white near3 pixel) same off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:39

EAST Search History

S12 5	2	"5668636".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:40
S14 7	2	"5668636".pn. and (color same render\$5 same (map\$5 or transform\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:41
S14 5	0	"5668636".pn. and (color same render\$5 same (map\$5 or transform\$5) same (gamut or range) same print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:41
S14 9	1	"5668636".pn. and ((gamut or range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:43
S14 8	1	"5668636".pn. and (c(gamut or range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:43
S14 6	0	"5668636".pn. and (color same render\$5 same (map\$5 or transform\$5) same (gamut or range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:43
S14 1	5	((determin\$5 or judg\$5 or discriminat\$5 or designat\$5 or sett\$5 or select\$5 or choos\$5) near5 (color near3 map\$5)) same ((gamut or range) near3 (image or document or original or (source near2 color))) same (render\$5) same ((gamut or range) near5 (print\$5 or output\$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:44
S14 0	8	((determin\$5 or judg\$5 or discriminat\$5 or designat\$5 or sett\$5 or select\$5 or choos\$5) near5 (color near3 map\$5)) same (color near3 (image or document or original)) same (render\$5) same ((gamut or range) near5 (print\$5 or output\$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:45
S15 0	8	((determin\$5 or judg\$5 or discriminat\$5 or designat\$5 or sett\$5 or select\$5 or choos\$5) near5 (color near3 map\$5)) same (color near3 (image or document or original)) same (render\$5) same ((gamut or range) near5 (print\$5 or output\$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:46
S15 1	14	((determin\$5 or judg\$5 or discriminat\$5 or designat\$5 or sett\$5 or select\$5 or choos\$5 or need\$5 or necessary) near5 ((gamut or color) near3 map\$5)) same ((gamut or range or color) near3 (image or document or original)) same (render\$5) same ((gamut or range) near5 (print\$5 or output\$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:49
S15 2	17	((determin\$5 or judg\$5 or discriminat\$5 or designat\$5 or sett\$5 or select\$5 or choos\$5 or need\$5 or necessary) near5 ((gamut or color) near3 map\$5)) same ((gamut or range or color) near3 (source or image or document or original)) same (render\$5) same ((gamut or range) near5 (print\$5 or output\$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 14:50
S15 6	3	S155 and (render\$5 near3 intent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:16
S15 5	77	(selective or variable) near4 (gamut or color) near3 map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:16

EAST Search History

S15 4	2	"7161710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:16
S15 3	567	((determin\$5 or judg\$5 or discriminat\$5 or designat\$5 or sett\$5 or select\$5 or choos\$5 or need\$5 or necessary) near\$5 ((gamut or color) near3 map\$5)) and ((gamut or range or color) near3 (source or image or document or original)) and ((select\$5 or choos\$5 or chosen or designat\$5) (render\$5)) and ((gamut or range) near5 (print\$5 or output\$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:17
S15 7	12	((determin\$5 or judg\$5 or discriminat\$5 or designat\$5) near5 (requir\$5 or need\$5 or necessary) near5 ((gamut or color) near3 map\$5)) and ((gamut or range or color) near3 (source or image or document or original)) and ((select\$5 or choos\$5 or chosen or designat\$5) (render\$5)) and ((gamut or range) near5 (print\$5 or output\$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:18
S15 8	2	((determin\$5 or judg\$5 or discriminat\$5 or designat\$5) near5 (requir\$5 or need\$5 or necessary) near5 ((gamut or color) near3 map\$5)) and ((gamut or range or color) near3 (source or image or document or original)) and ((select\$5 or choos\$5 or chosen or designat\$5) with (render\$5)) and ((gamut or range) near5 (print\$5 or output\$5 or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:24
S15 9	0	((determin\$5 or judg\$5 or discriminat\$5 or designat\$5) near5 (requir\$5 or need\$5 or necessary) near5 ((gamut or color) near3 map\$5)) and ((determin\$5 or judg\$5 or discriminat\$5 or designat\$5) near5 (colorimetric\$5)) and ((determin\$5 or judg\$5 or discriminat\$5 or designat\$5) near5 (perceptual\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:25
S16 0	2	((determin\$5 or judg\$5 or discriminat\$5 or designat\$5) near5 ((gamut or color) near3 map\$5)) and ((determin\$5 or judg\$5 or discriminat\$5 or designat\$5) near5 (colorimetric\$5)) and ((determin\$5 or judg\$5 or discriminat\$5 or designat\$5) near5 (perceptual\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:30
S16 1	3	"6549654".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:47
S16 3	1	"6549654".pn. and profile with gamut	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:50
S16 4	1	"6549654".pn. and profile with gamut with printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:51
S16 2	5	"6693718".pn. "6633400".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:56
S16 6	1	"6633400".pn. and plural\$5 with "50"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:58
S16 5	1	"6633400".pn. and plural\$5 near4 print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:58
S16 8	1	"6633400".pn. and "50" same plural\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:59

EAST Search History

S16 7	1	"6633400".pn. and "50"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 15:59
S10 7	0	"7161710".pn. and (accura\$5 same colorimet\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:01
S16 9	1	"6549654".pn. and (profile with stor\$5 with printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:02
S17 0	1	"6549654".pn. and (profile with fetch\$5 with printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:10
S17 2	0	"835163".ap. and (best\$6 same volume and area)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:11
S17 1	0	"835163".ap. and (best\$6 same volume same area)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:11
S17 5	0	"835163".ap. and ((volume))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:12
S17 4	0	"835163".ap. and ((volume same area))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:12
S17 3	1	"835163".ap. and (best\$6 same (volume or area))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:12
S17 6	1	"835163".ap. and ((volumes))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:13
S17 7	2	"6268930".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:14
S17 9	0	"6549654".pn. and volumes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:15
S17 8	0	"6549654".pn. and volume	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:15

EAST Search History

S18 0	2	"6268930".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:18
S18 1	1	"6549654".pn. and (percentage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:19
S18 3	1	"6549654".pn. and degree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:20
S18 2	1	"6549654".pn. and (percen\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:20
S18 4	1	"6549654".pn. and degree and percent\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:21
S18 5	1	"6549654".pn. and degree and (ratio or percent\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:27
S18 7	1	"6549654".pn. and degree and area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:28
S18 6	0	"6549654".pn. and degree same area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:28
S18 8	1	"6549654".pn. and ability near3 degree and area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:47
S19 0	33	(control\$5) with perceptual with map\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:50
S18 9	5	(balanc\$5 or composite or combin\$5) with perceptual with colorimetric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:50
S19 2	13	lin.in. and out-of-gamut	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:52
S19 1	1	((control\$5) with perceptual with map\$5) same ((within or inside or internal\$5) near4 (gamut or range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:53

EAST Search History

S19 4	0	S193 and (perceptual with (intent or map\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:54
S19 5	0	S193 and (perceptual same (intent or map\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:55
S19 3	67	((control\$5) with (map\$5) same ((within or inside or internal\$5) near4 (gamut or range)) same distance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:56
S19 6	0	S193 and (perceptual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:57
S19 7	131	((control\$5) with (map\$5) with (distance or target or point)) same (map\$5 with ((within or inside or internal\$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:58
S19 8	3	S197 and (perceptual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 16:59
S20 0	10	S199 and (perceptual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:00
S19 9	677	((control\$5 or reduc\$5 or shorten\$5 or balanc\$5) with (map\$5) with ((within or inside or internal\$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:01
S20 1	170	((reduc\$5 or shorten\$5 or decreas\$5) with (map\$5) with ((within or inside or internal\$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:08
S20 4	0	((adjust\$5) with (map\$5) adj2 (location or point or destination)) same (color with ((within or inside or internal\$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:10
S20 3	2	((control\$5) with (map\$5) adj2 (location or point or destination)) same (color with ((within or inside or internal\$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:10
S20 5	8	((adjust\$5) with (map\$5) adj2 (location or point or destination)) and (color with ((within or inside or internal\$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:11
S20 6	30	((adjust\$5 or correct\$5 or limit\$5) with (map\$5) adj2 (distance or location or point or destination)) and (color with ((within or inside or internal\$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:13

EAST Search History

S20 7	12	((adjust\$5 or correct\$5 or limit\$5 or reduc\$5 or clip\$5) with (map\$5) adj2 (amount or magnitude or distance or location or point or destination)) same (map\$5 with ((within or inside or internal\$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:16
S20 8	26	((adjust\$5 or correct\$5 or limit\$5 or reduc\$5 or clip\$5 or control\$5 or variable) with (map\$5) adj2 (amount or magnitude or distance or location or point or destination)) same (map\$5 with ((within or inside or internal\$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:17
S20 9	23	((adjust\$5 or correct\$5 or limit\$5 or reduc\$5 or clip\$5 or control\$5 or variable) with (map\$5) adj2 (amount or magnitude or distance or location or point or destination)) same ((point or location or destination or color) near4 ((within or inside or internal\$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:19
S20 2	16	S201 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:19
S21 0	169	((adjust\$5 or correct\$5 or limit\$5 or reduc\$5 or clip\$5 or control\$5 or variable) with (map\$5) with (amount or magnitude or distance or location or point or destination)) same ((point or location or destination or color) near4 ((within or inside or internal\$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:24
S21 3	69	S212 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:25
S21 1	35	S210 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:25
S21 2	179	((adjust\$5 or correct\$5 or limit\$5 or reduc\$5 or clip\$5 or control\$5 or variable) with (map\$5) with (point or location or destination or color) near4 ((within or inside or internal\$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:29
S21 4	25	((shift\$5) with (map\$5) with (point or location or destination or color) near4 ((within or inside or internal\$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:32
S21 6	10	(mix\$5 or between or weigh\$5) with perceptual with colorimetric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:40
S21 5	1	(user near3 (adjust\$5 or correct\$5 or modif\$7 or shift\$5 or balanc\$5 or reduc\$5 or push\$5) with ((map\$5) near3 (point or location or destination or color) near4 (within or inside or internal\$5) near4 (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:42
S21 7	17	(user near3 (adjust\$5 or correct\$5 or modif\$7 or shift\$5 or balanc\$5 or reduc\$5 or push\$5 or select\$5 or choos\$5) with ((map\$5) near3 (point or location or destination or color) near4 (within or inside or internal\$5) same (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:45
S21 8	109	((adjust\$5 or correct\$5 or modif\$7 or shift\$5 or balanc\$5 or reduc\$5 or push\$5 or select\$5 or choos\$5) with ((map\$5) near3 (point or location or destination or color) near4 (within or inside or internal\$5) same (gamut or range)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:54

EAST Search History

S21 9	339	((adjust\$5 or correct\$5 or modif\$7 or shift\$5 or balanc\$5 or reduc\$5 or push\$5 or select\$5 or choos\$5) with (point or location or destination or color) near4 (within or inside or internal\$5) same (gamut or range)) same (map\$5 with (gamut or range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:55
S22 0	276	((adjust\$5 or correct\$5 or modif\$7 or shift\$5 or balanc\$5 or reduc\$5 or push\$5 or select\$5 or choos\$5) with (point or location or destination or color) near4 (within or inside or internal\$5) with (gamut or range)) same (map\$5 with (gamut or range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 17:56
S22 2	26	((adjust\$5 or correct\$5 or modif\$7 or shift\$5 or balanc\$5 or reduc\$5 or push\$5 or select\$5 or choos\$5) with (point or location or destination or color) near4 (within or inside or internal\$5) with (gamut or range)) same (map\$5 with (gamut or range)) and (map\$5 with perceptual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 18:00
S22 1	78	((adjust\$5 or correct\$5 or modif\$7 or shift\$5 or balanc\$5 or reduc\$5 or push\$5 or select\$5 or choos\$5) with (point or location or destination or color) near4 (within or inside or internal\$5) with (gamut or range)) same (map\$5 with (gamut or range)) and perceptual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/18 18:00

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	91	(user with (configur\$5 or adjust\$5 or correct\$5 or modif\$7 or shift\$5 or balanc\$5 or reduc\$5 or push\$5 or select\$5 or choos\$5) with (gamut) with map\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:25
S3	45	S1 and (perceptual same gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:47
S4	4	S1 and (perceptual same colorimetric\$5 same (balanc\$5 or mix\$6 or weigh\$5 or combin\$6 or merg\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:21
S5	12	(gamut with map\$5) and (perceptual same colorimetric\$5 same (balanc\$5 or mix\$6 or weigh\$5 or combin\$6 or merg\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:23
S6	4	(gamut) and (perceptual\$5 with colorimetric\$5 with (balanc\$5 or mix\$6 or weigh\$5 or combin\$6 or merg\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:24
S7	6	(gamut) and (perceptual\$5 with colorimetric\$5 with (tradeoff or compromis\$5 or balanc\$5 or mix\$6 or weigh\$5 or combin\$6 or merg\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:24
S8	2	(user with (configur\$5 or adjust\$5 or correct\$5 or modif\$7 or shift\$5 or balanc\$5 or reduc\$5 or push\$5 or select\$5 or choos\$5) with (perceptual\$5) with map\$6) and (gamut with map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:27
S9	14	(user with (configur\$5 or adjust\$5 or correct\$5 or modif\$7 or shift\$5 or balanc\$5 or reduc\$5 or push\$5 or select\$5 or choos\$5) with (perceptual\$5)) and (gamut with map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:31
S10	47	((configur\$5 or adjust\$5 or correct\$5 or modif\$7 or shift\$5) with (perceptual\$5)) and (gamut with map\$5) and ((reduc\$5 or lower\$5 or limit\$5 or bound\$5 or threshold\$5) with (distance or magnitude or amount or vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:33
S11	4	((configur\$5 or adjust\$5 or correct\$5 or modif\$7 or shift\$5) with (perceptual\$5)) and (gamut with map\$5) and (((reduc\$5 or lower\$5 or limit\$5 or bound\$5 or threshold\$5) with (distance or magnitude or amount or vector)) same (map\$5) same ((within or inside or "in" or internal\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:40
S12	16	("5450216" "5510910" "5563724" "5611030" "5734802" "6005968" "6023527" "6088038" "6101272" "6128022" "6151136" "6154217" "6362808" "6633668").PN. OR ("6719392").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/19 10:37
S13	2	S12 and (((reduc\$5 or lower\$5 or limit\$5 or bound\$5 or threshold\$5) with (error or distance or magnitude or amount or vector)) same (map\$5) same ((within or inside or "in" or internal\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:45
S14	2	"5,650,942".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:44

EAST Search History

S15	2	S12 and (((reduc\$5 or lower\$5 or limit\$5 or bound\$5 or threshold\$5 or control\$5) with (error or distance or magnitude or amount or vector)) same (map\$5) same ((within or inside or "in" or internal\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:46
S16	3738	(((reduc\$5 or lower\$5 or limit\$5 or bound\$5 or threshold\$5 or control\$5) with (error or distance or magnitude or amount or vector)) with (map\$5) with ((within or inside or "in" or internal\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:52
S17	3	S16 and (perceptual same gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:51
S18	33	S16 and (map\$5 with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 10:54
S19	140	(((reduc\$5 or lower\$5 or limit\$5 or bound\$5 or threshold\$5 or control\$5) with (error or distance or magnitude or amount or vector)) with (map\$5) with ((within or inside or "in" or internal\$5) near3 (range or gamut)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:00
S20	7	S19 and (map\$5 with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:01
S21	1088	(((reduc\$5 or lower\$5 or limit\$5 or bound\$5 or threshold\$5 or control\$5) with (map\$5) with (within or inside or "in" or internal\$5) near3 (range or gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:00
S22	128	S21 and (map\$5 with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:23
S23	1	"835163".ap. and updat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:24
S24	1	"835163".ap. and updat\$5 same boundary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:25
S25	2	"6999200".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:30
S26	0	"6999200".pn. and calibrat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:26
S27	0	"6999200".pn. and updat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:26

EAST Search History

S28	0	"6999200".pn. and latest\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 11:26
S29	1	((sensor or sensing) with (scan\$5 or read\$5) with (patch or sample) with print\$5) and (updat\$5 with print\$5 with (gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:41
S30	2	"6437792".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:42
S31	1	"6437792".pn. and colorimetric adj2 area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:46
S32	0	"6437792".pn. and point with b	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 12:47
S33	1	"6437792".pn. and point with a	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:04
S34	3	"6549654".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:19
S35	1	"835163".ap. and print near2 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:00
S36	3	"6549654".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:30
S37	0	"6549654".pn. and (server with (select\$5 or choos\$5) with printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:30
S38	0	"6549654".pn. and (server same (select\$5 or choos\$5) with printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:30
S39	3	"6549654".pn. and ((select\$5 or choos\$5) with printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:30
S40	1	"6549654".pn. and ((select\$5 or choos\$5) with printer) and (network adj2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:37

EAST Search History

S41	1	"6549654".pn. and ((select\$5 or choos\$5) with (client or server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:37
S42	3	"6549654".pn. and ((select\$5 or choos\$5) same3 (client or server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:38
S43	1	"6549654".pn. and ((select\$5 or choos\$5) same (client or server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:38
S44	1	"6549654".pn. and ((select\$5 or choos\$5) same (application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:38
S45	2	"6549654".pn. and ((select\$5 or choos\$5) same (automatic\$5 or application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:39
S46	1	"6549654".pn. and ((select\$5 or choos\$5) same (application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:56
S47	1	"6549654".pn. and (network adj2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:42
S48	3	"6549654".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:57
S49	2	"7161710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 13:57
S50	1	"6222648".pn. and (sens\$5 same updat\$5 same (patch or sample))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:01
S51	1	"6222648".pn. and (updat\$5 same gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:15
S52	2	"7161710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:16
S53	0	(user with (select\$5 or choos\$5 or indicat\$5 or designat\$5) with (color near3 accurat\$5)) same ((select\$5 or choos\$5) with (absolute near3 colorimetric\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:18

EAST Search History

S54	0	((user same (color near3 accura\$5)) same ((select\$5 or choos\$5) with (absolute near3 colorimetric\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:19
S55	0	((color near3 accura\$5)) same ((select\$5 or choos\$5) with (absolute near3 colorimetric\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:19
S56	4	((color near3 accura\$5)) and ((select\$5 or choos\$5) with (absolute near3 colorimetric\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:26
S57	1	((color near3 accura\$5)) same ((absolute near3 colorimetric\$5)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:20
S58	517	((color near3 accura\$5) with (user)) ((absolute near3 colorimetric\$5)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:20
S59	0	((color near3 accura\$5) with (user)) and ((absolute near3 colorimetric\$5)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:21
S60	0	((color near3 accura\$5) and (user)) and ((absolute near3 colorimetric\$5)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:22
S61	1	((user)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:21
S62	0	((color near3 accura\$5) and (operator)) and ((absolute near3 colorimetric\$5)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:21
S63	0	((color near3 accura\$5) same (author)) and ((absolute near3 colorimetric\$5)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:23
S64	1	((accura\$5) same (author)) and ((absolute near3 colorimetric\$5)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:24
S65	1	((accura\$5 or preserv\$5) same (author)) and ((absolute near3 colorimetric\$5)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:24
S66	1	((accura\$5 or preserv\$5) same (author)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:25

EAST Search History

S67	1	((accura\$5 or separat\$5) same (author)) and "835163".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:25
S68	0	((user or operator) with (input\$5 or select\$5 or choos\$5 or indicat\$3 or designat\$5) near4 accura\$5) same ((select\$5 or choos\$5 or using or use or map\$5) with (absolute near3 colorimetric\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:28
S69	0	((user or operator) with (prefer\$5 or input\$5 or select\$5 or choos\$5 or indicat\$3 or designat\$5) near4 accura\$5) same ((select\$5 or choos\$5 or using or use or map\$5) with (absolute near3 colorimetric\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:28
S70	0	((user or operator or author\$5) with (prefer\$5 or input\$5 or select\$5 or choos\$5 or indicat\$3 or designat\$5) near4 accura\$5) same ((select\$5 or choos\$5 or using or use or map\$5) with (absolute near3 colorimetric\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:31
S71	0	((prefer\$5 or input\$5 or select\$5 or choos\$5 or indicat\$3 or designat\$5) near4 accura\$5) same ((select\$5 or choos\$5 or using or use or map\$5) with (absolute near3 colorimetric\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:29
S72	2	(accura\$5) same ((select\$5 or choos\$5 or using or use or map\$5) with (absolute near3 colorimetric\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:30
S73	2	"7161710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 15:11
S74	10	((user or operator or author\$5) with (prefer\$5 or input\$5 or select\$5 or choos\$5 or indicat\$3 or designat\$5)) same ((select\$5 or choos\$5 or using or use or map\$5) with (absolute near3 colorimetric\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:34
S75	21	((user or operator or author\$5) with (prefer\$5 or input\$5 or select\$5 or choos\$5 or indicat\$3 or designat\$5)) and ((select\$5 or choos\$5 or using or use or map\$5) with (absolute near3 colorimetric\$5)) and ((select\$5 or choos\$5 or using or use or map\$5) with (percep\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:40
S76	5	((user or operator or author\$5) with (prefer\$5 or input\$5 or select\$5 or choos\$5 or indicat\$3 or designat\$5)) and ((select\$5 or choos\$5 or using or use or map\$5) with (absolute near3 colorimetric\$5)) and ((select\$5 or choos\$5 or using or use or map\$5) with (percep\$7)) and accura\$6 and (preserv\$5 or conserv\$5 or maintain\$5 or keep\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:43
S77	0	((user or operator or author\$5) with (intent\$5 or prefer\$5 or input\$5 or select\$5 or choos\$5 or indicat\$3 or designat\$5) with (preserv\$5 or conserv\$5 or maintain\$5 or keep\$5)) and ((select\$5 or choos\$5 or using or use or map\$5) with (absolute near3 colorimetric\$5)) and ((select\$5 or choos\$5 or using or use or map\$5) with (percep\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:50
S78	0	"835163".ap. and Compar\$5 with respon\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:47
S79	1	"835163".ap. and Compar\$5 same (absolute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:47

EAST Search History

S80	15	((user or operator or author\$5) with (intent\$5 or prefer\$5 or input\$5 or select\$5 or choos\$5 or indicat\$3 or designat\$5)) and ((absolute or colorimetr\$5 or percep\$6) same (preserv\$5 or conserv\$5 or maintain\$5 or keep\$5)) and ((select\$5 or choos\$5 or using or use or map\$5) with (absolute near3 colorimetric\$5)) and ((select\$5 or choos\$5 or using or use or map\$5) with (percep\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 14:51
S81	0	"6437792".pn. and (user with k)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 15:11
S82	0	"6437792".pn. and (user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 15:11
S83	0	"6437792".pn. and (operator with k)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 15:12
S84	2	"6437792".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 15:24
S85	3	"6549654".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/19 15:24
S86	26	(map\$5 with (absolute)) and (map\$5 with percept\$6) and ((user or operator or author\$5 or designer) with (prefer\$5 or intent or render\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 15:42
S87	16	(map\$5 with (absolute)) and (map\$5 with percept\$6) and ((user or operator or author\$5 or designer) with (input\$5 or interfac\$5 or enter\$5 or designat\$5 or indicat\$5) with (prefer\$5 or intent or render\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 15:47
S88	0	(map\$5 with (absolute)) and (map\$5 with percept\$6) and ((user or operator or author\$5 or designer) with (input\$5 or interfac\$5 or enter\$5 or designat\$5 or indicat\$5) with (accuracy)) and ((user or operator or author\$5 or designer) with (input\$5 or interfac\$5 or enter\$5 or designat\$5 or indicat\$5) with (preserv\$5 or maintain\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 15:49
S89	0	(map\$5 with (absolute)) and (map\$5 with percept\$6) and (((input\$5 or interfac\$5 or enter\$5 or designat\$5 or indicat\$5) with (intent\$5 or need\$5 or prefer\$6)) same (accura\$6 or precis\$5)) and (((input\$5 or interfac\$5 or enter\$5 or designat\$5 or indicat\$5) with (intent\$5 or need\$5 or prefer\$6)) same (preserv\$5 or maintain\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 15:52
S90	3	(map\$5 same (absolute)) and (map\$5 same percept\$6) and (((input\$5 or interfac\$5 or enter\$5 or designat\$5 or indicat\$5) with (intent\$5 or need\$5 or prefer\$6)) same (accura\$6 or precis\$5)) and (((input\$5 or interfac\$5 or enter\$5 or designat\$5 or indicat\$5) with (intent\$5 or need\$5 or prefer\$6)) same (preserv\$5 or maintain\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 15:56
S91	1	"835163".ap. and (author\$5 with accur\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 15:55

EAST Search History

S92	43	(map\$5 same (absolute)) and (map\$5 same percept\$6) and (((input\$5 or interfac\$5 or enter\$5 or designat\$5 or indicat\$5)) same (accura\$6 or precis\$5)) and (((input\$5 or interfac\$5 or enter\$5 or designat\$5 or indicat\$5)) same (preserv\$5 or maintain\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:05
S93	0	"5510910".pn. and (user same (accura\$5 or preserv\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:03
S94	1	"5510910".pn. and (user and (accura\$5 or preserv\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:03
S95	4	(map\$5 same (absolute)) and (map\$5 same percept\$6) and ((user or operator or author\$5) with (input\$5 or interfac\$5 or enter\$5 or designat\$5 or indicat\$5)) same ((select\$5 or choos\$5 or designat\$5 or appl\$7) with (absolute)) and ((user or operator or author\$5) with (input\$5 or interfac\$5 or enter\$5 or designat\$5 or indicat\$5)) same ((select\$5 or choos\$5 or designat\$5 or appl\$7) with (absolute))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:08
S96	4	(map\$5 same (absolute)) and (map\$5 same percept\$6) and ((user or operator or author\$5) with (input\$5 or interfac\$5 or enter\$5 or designat\$5 or indicat\$5)) same ((select\$5 or choos\$5 or designat\$5 or appl\$7) with (absolute)) and ((user or operator or author\$5) with (input\$5 or interfac\$5 or enter\$5 or designat\$5 or indicat\$5)) same ((select\$5 or choos\$5 or designat\$5 or appl\$7) with (c\$1lorimet\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:11
S97	24	(map\$5 same (absolute or colorimetr\$5 or calorimetr\$5)) and (map\$5 same percept\$6) and ((user or operator or author\$5) with (input\$5 or interfac\$5 or enter\$5 or designat\$5 or indicat\$5)) same ((select\$5 or choos\$5 or designat\$5 or appl\$7) with (absolute or colorimetr\$5 or calorimetr\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:14
S98	29	(map\$5 same (absolute or colorimetr\$5 or calorimetr\$5)) and (map\$5 same percept\$6) and ((user or operator or author\$5) with (input\$5 or interfac\$5 or enter\$5 or designat\$5 or indicat\$5 or specifies or specification or specify)) same ((select\$5 or choos\$5 or designat\$5 or appl\$7) with (absolute or colorimetr\$5 or calorimetr\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:17
S99	2	S98 and ((user or operator or author\$5) with (input\$5 or interfac\$5 or enter\$5 or designat\$5 or indicat\$5 or specifies or specification or specify)) same ((select\$5 or choos\$5 or designat\$5 or appl\$7) with (percept\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:18
S10 0	1256	((user or operator or author\$5) with (input\$5 or interfac\$5 or enter\$5 or designat\$5 or indicat\$5 or specifies or specification or specify)) same ((select\$5 or choos\$5 or designat\$5 or appl\$7) with (absolute or colorimetr\$5 or calorimetr\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:21
S10 1	15	S100 and ((user or operator or author\$5) with (input\$5 or interfac\$5 or enter\$5 or designat\$5 or indicat\$5 or specifies or specification or specify)) same ((select\$5 or choos\$5 or designat\$5 or appl\$7) with (percept\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:21
S10 2	52542	((select\$5 or choos\$5 or designat\$5 or appl\$7) with (absolute or colorimetr\$5 or calorimetr\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:25
S10 3	487	S102 and ((select\$5 or choos\$5 or designat\$5 or appl\$7) with (percept\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:26

EAST Search History

S10 4	46	S103 and (gamut with map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:26
S10 5	1683	((user or operator or author\$5) with (select\$5 or choos\$5 or designat\$5 or appl\$7) with (absolute or colorimetr\$5 or calorimetr\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:27
S10 6	25	S105 and ((user or operator or author\$5) with (select\$5 or choos\$5 or designat\$5 or appl\$7) with (percept\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:26
S10 7	2	S106 and (gamut with map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:30
S10 8	34464	((user or operator or author\$5) with (select\$5 or choos\$5 or designat\$5 or appl\$7) with (prefer\$5 or intent\$5 or render\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:48
S10 9	108	S108 and ((prefer\$5 or intent\$5 or render\$5) with (preserv\$5 or keep\$5 or maintain\$5) with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:29
S11 0	478	S108 and ((prefer\$5 or intent\$5 or render\$5) with ("same" or similar or match\$5 or preserv\$5 or keep\$5 or maintain\$5) with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:49
S11 1	60	S110 and (gamut with map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:33
S11 2	20	S110 and (gamut with map\$5) and (absolute and (colorimetr\$5 or calorimetr\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:39
S11 3	14	S110 and (gamut with map\$5) and (((relative or absolute) near3 (colorimetr\$5 or calorimetr\$5)) and percept\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:47
S11 4	15	S110 and (gamut with (compress\$5 or adjust\$5 or transform\$5 or conver\$5 or map\$5)) and (((relative or absolute) near3 (colorimetr\$5 or calorimetr\$5)) and percept\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:50
S11 5	54579	((user or operator or author\$5) with (select\$5 or choos\$5 or designat\$5 or appl\$7 or indicat\$5 or determin\$5 or judg\$5 or input\$5 or enter\$5 or interfac\$5) with (prefer\$5 or intent\$5 or render\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:54
S11 6	756	S115 and ((prefer\$5 or intent\$5 or render\$5) with (accura\$6 or precis\$5 or "same" or similar or match\$5 or preserv\$5 or keep\$5 or maintain\$5) with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:55

EAST Search History

S11 7	18	S116 and (gamut with (remap\$5 or shrink\$5 or reduc\$5 or compress\$5 or adjust\$5 or transform\$5 or conver\$5 or map\$5)) and (((relative or absolute) near3 (colorimetr\$5 or calorimetr\$5)) and percept\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:56
S11 8	85023	((user or operator or author\$5) with (select\$5 or choos\$5 or designat\$5 or appl\$7 or indicat\$5 or determin\$5 or judg\$5 or input\$5 or enter\$5 or interfac\$5) with ("desire" or strategy or prefer\$5 or intent\$5 or render\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:54
S11 9	887	S118 and (("desire" or strategy or prefer\$5 or intent\$5 or render\$5) with (accura\$6 or precis\$5 or "same" or similar or match\$5 or preserv\$5 or keep\$5 or maintain\$5) with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:55
S12 0	19	S119 and (gamut with (remap\$5 or shrink\$5 or reduc\$5 or compress\$5 or adjust\$5 or transform\$5 or conver\$5 or map\$5)) and (((relative or absolute) near3 (colorimetr\$5 or calorimetr\$5)) and percept\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:02
S12 1	2	"7161710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 16:59

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	44400	(plural\$5 near4 (printer or printing or (image adj2 reproduc\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:24
S2	0	S1 and ((user or operator or author\$5) with (select\$5 or choos\$5 or designat\$5 or appl\$7 or indicat\$5 or determin\$5 or judg\$5 or input\$5 or enter\$5 or interfac\$5) with (absolute adj2 (colorimetr\$5 or calorimetr\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:19
S3	3	S1 and ((user or operator or author\$5) with (select\$5 or choos\$5 or designat\$5 or appl\$7 or indicat\$5 or determin\$5 or judg\$5 or input\$5 or enter\$5 or interfac\$5) with (intent\$5 or prefer\$6) same (percept\$6) same (absolute adj2 (colorimetr\$5 or calorimetr\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:20
S4	4	S1 and ((user or operator or author\$5) with (select\$5 or choos\$5 or designat\$5 or appl\$7 or indicat\$5 or determin\$5 or judg\$5 or input\$5 or enter\$5 or interfac\$5) with (intent\$5 or prefer\$6) and ((intent\$5 or prefer\$6) with (percept\$6)) and ((intent\$5 or prefer\$6) with (absolute adj2 (colorimetr\$5 or calorimetr\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:43
S5	6	S1 and ((select\$5 or choos\$5 or designat\$5 or appl\$7 or indicat\$5 or determin\$5 or judg\$5 or input\$5 or enter\$5 or interfac\$5) with (intent\$5 or prefer\$6) and ((intent\$5 or prefer\$6) with (percept\$6)) and ((intent\$5 or prefer\$6) with (absolute adj2 (colorimetr\$5 or calorimetr\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:21
S6	6	S1 and ((select\$5 or choos\$5 or designat\$5 or appl\$7 or indicat\$5 or determin\$5 or judg\$5 or input\$5 or enter\$5 or interfac\$5) with (strategy or intent\$5 or prefer\$6) and ((strategy or intent\$5 or prefer\$6) with (percept\$6)) and ((strategy or intent\$5 or prefer\$6) with (absolute adj2 (colorimetr\$5 or calorimetr\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:25
S7	80960	(plural\$5 near4 (copier or copying or scanner or scanning or printer or printing or (image adj2 reproduc\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:24
S8	6	S7 and ((select\$5 or choos\$5 or designat\$5 or appl\$7 or indicat\$5 or determin\$5 or judg\$5 or input\$5 or enter\$5 or interfac\$5) with (strategy or intent\$5 or prefer\$6) and ((strategy or intent\$5 or prefer\$6) with (percept\$6)) and ((strategy or intent\$5 or prefer\$6) with (absolute adj2 (colorimetr\$5 or calorimetr\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:26
S9	366	S7 and ((select\$5 or choos\$5 or designat\$5 or appl\$7 or indicat\$5 or determin\$5 or judg\$5 or input\$5 or enter\$5 or interfac\$5) with (percept\$6 or (absolute adj2 (colorimetr\$5 or calorimetr\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:27
S10	341	S9 and ((select\$5 or choos\$5 or designat\$5 or appl\$7 or indicat\$5 or determin\$5 or judg\$5 or input\$5 or enter\$5 or interfac\$5) with (copier or copying or scanner or scanning or printer or printing or (image adj2 reproduc\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:28
S11	255	S9 and ((select\$5 or choos\$5 or designat\$5) with (copier or copying or scanner or scanning or printer or printing or (image adj2 reproduc\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:28
S12	47	S9 and (((select\$5 or choos\$5 or designat\$5) with (copier or copying or scanner or scanning or printer or printing or (image adj2 reproduc\$5))) same (percept\$6 or (absolute adj2 (colorimetr\$5 or calorimetr\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:32

EAST Search History

S13	8	((select\$5 or choos\$5 or designat\$5) with (copier or copying or scanner or scanning or printer or printing or (image adj2 reproduc\$5)) with (based or basing or depend\$5 or function or relat\$5) with (render\$3 adj2 (intent or prefer\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:34
S14	21	((select\$5 or choos\$5 or designat\$5) with (copier or copying or scanner or scanning or printer or printing or (image adj2 reproduc\$5)) with (render\$3 adj2 (intent or prefer\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:39
S15	28	((select\$5 or choos\$5 or designat\$5) with (copier or copying or scanner or scanning or printer or printing or (image adj2 reproduc\$5)) same ((render\$3 adj2 (intent or prefer\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:39
S16	4	((select\$5 or choos\$5 or designat\$5) with (absolute adj2 (colorimetr\$5 or calorimetr\$5))) and ((select\$5 or choos\$5 or designat\$5) with (perceptual\$5 or percept\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/20 17:45
S26	3	"632858".ap. and product	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:55
S27	1	"420730".ap. and "5901"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 13:07
S28	0	"420730".ap. and intent\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:22
S29	4	"420730".ap. and character\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:48
S30	1	"7082227".pn. and (country or geograph\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:49
S31	1	"6795084".pn. and (country or geograph\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:54
S32	2	"20030048464".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:54
S33	1	"420730".ap. and lut	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:56
S34	1	"420730".ap. and interpol\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:43

EAST Search History

S35	7	((select\$5 or choos\$5 or designat\$5) near4 (printer or printing) with (rendering adj2 intent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:47
S36	257	((select\$5 or choos\$5 or designat\$5) near4 (printer or printing) with (rendering))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:50
S37	15	S36 and (rendering near3 (prefer\$5 or intent\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:48
S38	9	((select\$5 or choos\$5 or designat\$5) near4 (printer or printing) same ((select\$5 or choos\$5 or designat\$5) near5 (rendering near3 (intent\$5 or prefer\$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:51
S39	9	((select\$5 or choos\$5 or designat\$5 or assign\$6) near4 (printer or printing) same ((select\$5 or choos\$5 or designat\$5) near5 (rendering near3 (intent\$5 or prefer\$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:52
S40	9	((select\$5 or choos\$5 or designat\$5 or assign\$6) near4 (printer or printing) same ((select\$5 or choos\$5 or designat\$5 or input\$5 or enter\$5) near5 (rendering near3 (intent\$5 or prefer\$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:53
S41	0	((plural\$5) near4 (printer or printing) same ((select\$5 or choos\$5 or designat\$5 or input\$5 or enter\$5) near5 (rendering near3 (intent\$5 or prefer\$6))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:54
S42	8	(plural\$5) adj2 (printer or printing)) and ((select\$5 or choos\$5 or designat\$5 or input\$5 or enter\$5) near5 (rendering near3 (intent\$5 or prefer\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:08
S43	3	"791007".ap. and (render\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:00
S44	3	"791007".ap. and (render\$5) same select\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:02
S45	1	"835163".ap. and (author\$5 with indicat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:03
S46	0	"835163".ap. and (author\$5 with preserv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:03
S47	0	"835163".ap. and (author\$5 with separat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:03

EAST Search History

S48	0	"835163".ap. and (author\$5 same separat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:03
S49	1	"835163".ap. and (author\$5 with (accura\$5 or separat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:05
S50	0	"835163".ap. and (author\$5 same (separat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:13
S51	1	"835163".ap. and (author\$5 same (preserv\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:06
S52	0	((plural\$5 adj2 (printer or printing)) and ((printer or printing) with (absolute adj2 colorimet\$5)) and ((printer or printing) with (perceptual\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:09
S53	1	((plural\$5 adj2 (printer or printing)) and ((printer or printing) same (absolute adj2 colorimet\$5)) and ((printer or printing) same (perceptual\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:10
S54	0	"835163".ap. and (preserv\$5 with separat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:13
S55	1	"835163".ap. and (preserv\$5 with differ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:18
S56	2	"7161710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:30
S57	0	"7161710".pn. and (absolut with relative)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:30
S58	1	"7161710".pn. and (absolute with relative)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:37
S59	1	"7161710".pn. and (us\$3 same (percept\$5 or colorim\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:38
S60	1	"7161710".pn. and (one\$3 same (percept\$5 or colorim\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:38

EAST Search History

S61	0	((plural\$5) near4 (printer or printing or (image adj2 reproduc\$5))) and (criteria with (select\$5 or choos\$5 or designat\$5) with (printer or printing or (image adj2 reproduc\$5))) and (criteria with (render\$5 near3 (intent\$5 or prefer\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:56
S62	1	((plural\$5) near4 (printer or printing or (image adj2 reproduc\$5))) and (criteria with (render\$5 near3 (intent\$5 or prefer\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:57
S63	1	((plural\$5) near4 (printer or printing or (image adj2 reproduc\$5))) and ((criteria or criteria) with (render\$5 near3 (intent\$5 or prefer\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:57
S64	5	((plural\$5) near4 (printer or printing or (image adj2 reproduc\$5))) and ((criterion or criteria) with (render\$5 near3 (intent\$5 or prefer\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:59
S65	0	"835163".ap. and (respon\$5 with perceptual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:59
S66	1	"835163".ap. and (respon\$5 same perceptual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:59
S67	1	"835163".ap. and (respon\$5 same intent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 16:00
S68	1	"835163".ap. and (respon\$5 same compar\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 16:00
S69	1	"835163".ap. and (intent same compar\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 16:00